INFERMATION SE SEVER

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFO MATION DISCLOSURE STATEMENT
BY APPLICANT

SE SEVERAL SHEETS IF NECESSARY)

		OTTELT TOP
ATTY, DOCKET NO. NIH173.001C1	APPLICATION NO. 10/099,782	
APPLICANT Wang et al.		
FILING DATE March 14, 2002	GROUP 1648	

	U.S. PATENT DOCUMENTS .						
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE (IF APPROPRIATE)
40	1	WO 00/66622	9 Nov 00	filed as U.S. Pat. Appl No. 10/005,305			
50	2	WO 01/57074	9 Aug 01	filed as U.S. Pat. Appl. No. 10/199,228			
20	3	WO 01/21188	29 Mar 01	filed as U.S. Pat. Appl. No. 10/099,782			
	4						
	5						-
	6						-
	7						
	8						
	9						
	10						

	FOREIGN PATENT DOCUMENTS							
EXAMINER		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	S SUBCLASS	TRANSLATION	
INITIAL							YES	NO
	11							
	12							
	13	,						
	14							
	15							
	16			*				

EXAMINER INITIAL		OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)	
	17		
	18		
	19	·	
	20		
	21		

O:\DOC\$\NWV\NWV-9205.DOC :cbm 110603

EXAMINER	DATE CONSIDERED 12-11-03

*EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

			SHEELT OF
	FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY, DOCKET NO. NIH173.001C1	APPLICATION NO. 10/099,782
6	PE JC,		RECEIVED!
[BY APPLICANT	APPLICANT Wang, et al.	NOV 0 5 2002
\	(USE PEVERAL SHEETS IF NECESSARY)	FILING DATE March 14, 2002	GROUP 1644TÉCH CÉNTER 1600/2900'
	AVT & TRACE		

				U.S. PATENT DOCUMENTS			
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE (IF APPROPRIATE)
<6	1.	5,318,958	6/7/94	Kisilevsky			
26	2.	5,508,384	4/16/96	Murphy et al.			

			FOREIGN PATENT DOCUMENTS				_
EXAMINER	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANS	LATION
INITIAL						YES	NO
		ĺ					

EXAMINE R		OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)
INITIAL		
0	3.	Ali, H., et al. (1993) Differences in Phosphorylation of Formylpeptide and C5a Chemoattractant Receptors
80	_	Correlate with Differences in Desensitization. J. Biol. Chem. 268(32):24247-24254.
100	4.	Ali, H., et al. (1996) Thrombin Primes Responsiveness of Selective Chemoattractant Receptors at a Site Distal to G
70		Protein Activation. J. Biol. Chem. 271(6):3200-3206.
	5.	Ali, H., et al. (1998) Differential Regulation of Formyl Peptide and Platelet-activating Factor Receptors. J. Biol.
60		Chem. 273(18):11012-11016.
	6.	Badolato, R., et al. (1994) Serum Amyloid A Is a Chemoattractant: Induction of Migration, Adhesion, and Tissue
40	1	Infiltration of Monocytes and Polymorphonuclear Leukocytes. J. Exp. Med. 180:203-209.
		Badolato, R., et al. (1995) Serum Amyloid A Induces Calcium Mobilization and Chemotaxis of Human Monocytes
40		by Activating a Pertussis Toxin-Sensitive Signaling Pathway. J. Immunol. 155:4004-4010.
		Bao, L., et al. (1992) Mapping of Genes for the Human C5a Receptor (C5AR), Human FMLP Receptor (FPR),
14/0		and Two FMLP Receptor Homologue Orphan Receptors (FPRH1, FPRH2) to Chromosome 19. Genomics 13:437-
	ightarrow	440.
12		Ben-Baruch, A., et al. (1995) Monocyte Chemotactic Protein-3 (MCP3) Interacts with Multiple Leukocyte
100		Receptors. J. Biol. Chem. 270(38):22123-22128.
50	10.	Berger, E. A. (1997) HIV entry and tropism: the chemokine receptor connection. AIDS 11(Suppl A):S3-S16.
	11.	Colgan, S. P., et al. (1993) Lipoxin A4 Modulates Transmigration of Human Neutrophils across Intestinal Epithelia
100	1	Monolayers. J. Clin. Invest. 92:75-82.
	12.	Deng, X., et al. (1999) A Synthetic Peptide Derived From Human Immunodeficiency Virus Type 1 gp120
14/		Downregulates the Expression and Function of Chemokine Receptors CCR5 and CXCR4 in Monocytes by
[O		Activating the 7-Transmembrane G-Protein-Coupled Receptor FPRL1/LXA4R. Blood 94(4):1165-1173.
4-6		Durstin, M., et al. (1994) Differential Expression of Members of the N-Formylpeptide Receptor Gene Cluster in
		Human Phagocytes. Biochem. Biophys, Res. Commun. 201(1):174-179.

EXAMINER	DATE CONSIDERED	12-11-03	
			

*EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

•		,	SHEET 2 OF
	MENT OF COMMERCE ID TRADEMARK OFFICE	ATTY, DOCKET NO. NIH173,001C1	APPLICATION NO. 10/099,782
INFORMATION DISCLOSURE S	TATEMENT		
BY APPLICANT (USE SEVERAL SHEETS IF NE		APPLICANT Wang, et al.	nevelvel
J. 3.7	CESSARY)	FILING DATE March 14, 2002	GROUP NOV 6 5 2002 1644 TECH CENTER 1600/29
CALINI & TRION			IBALLAPIALPIL IAAALPA
EXAMINE R INITIAL	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, E	DATE, PERTINENT PAGES, ETC.)
Falk, W., et al. (19) Migration. J. Immu	•	•	for Rapid and Accurate Measurement of Leukocyte
F: C 1 C 1	C NI (1005) I	* A 70 A	the American Company of the Company

EXAMINE R	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)
INITIAL	
86	Falk, W., et al. (1980) A 48-well Micro Chemotaxis Assembly for Rapid and Accurate Measurement of Leukocyte Migration. J. Immunol. Methods. 33:239-247
46	Fiore, S., and Serhan, C. N. (1995) Lipoxin A ₄ Receptor Activation Is Distinct from That of the Formyl Peptide Receptor in Myeloid Cells: Inhibition of CD11/18 Expression by Lipoxin A ₄ -Lipoxin A ₄ Receptor Interaction. Biochemistry 34:16678-16686.
4	16. Fiore, S., et al. (1993) Induction of Functional Lipoxin A ₄ Receptors in HL-60 Cells. Blood 81(12):3395-3403.
56	Fiore, S., et al. (1994) Identification of a Human cDNA Encoding a Functional High Affinity Lipoxin A ₄ Receptor. J. Exp. Med. 180:253-260.
8	Gao, J. L. and Murphy P. M. (1993) Species and Subtype Variants of the N-Formyl Peptide Chemotactic Receptor Reveal Multiple Important Functional Domains. J. Biol Chem. 268(34):25395-25401.
86	Gerwirtz, A. T., et al. (1998) Pathogen-induced Chemokine Secretion from Model Intestinal Epithelium is Inhibited by Lipoxin A ₄ Analogs. J. Clin. Invest. 101:1860-1869.
86	Gong, W., et al. (1998) Monocyte Chemotactic Protein-2 Activates CCR5 and Blocks CD4/CCR5-mediated HIV-1 Entry/Replication. J. Biol. Chem. 273:4289-4292
86	21. Gong, X., et al. (1997) Monocyte Chemotactic Protein-2 (MCP-2) Uses CCR1 AND CCR2B as Its Functional Receptors. J. Biol. Chem. 272:11682-11685
S	Gronert, K., et al. (1998) Identification of a Human Enterocyte Lipoxin A ₄ Receptor That Is Regulated by Interleukin (IL)-13 and Interferon γ and Inhibits Tumor Necrosis Factor α-induced IL-8 Release. J. Exp. Med. 187:1285-1294
6	Kisilevsky, R. (1991) Serum Amyloid A (SAA), a Protein without a Function: Some Suggestions with Reference to Cholesterol Metabolism. Med. Hypotheses 35:337-341.
86	Le, Y., et al. (1999) A new insight into the role of "old" chemotactic peptide receptors FPR and FPRL1: down-regulation of chemokine receptors CCR5 and CXCR4. Forum 9:299-314.
ا وے ا	Lee, T. H., et al. (1991) Inhibition of Leukotriene B ₄ -Induced Neutrophil Migration by Lipoxin A ₄ : Structure-Function Relationships. Biochem. Biophys. Res. Commun. 180(3):1416-1421.
8	Liang, J. and Sipe, J. D. (1995) Recombinant human serum amyloid A (apoSAA _p) binds cholesterol and modulates cholesterol flux. J. Lipid Res. 36:37-46.
X	27. Linke, R. P., et al. (1991) Inhibition of the Oxidative Burst Response of N-formyl Peptide-Stimulated Neutrophils by Serum Amyloid-A Protein. Biochem. Biophys. Res. Commun. 176(3):1100-1105.
50	28. Maddox, J. F., et al. (1997) Lipoxin A ₄ Stable Analogs Are Potent Mimetics That Stimulate Human Monocytes and THP-1 Cells via a G-protein-linked Lipoxin A ₄ Receptor. J. Biol. Chem. 272(11):6972-6978.
6	Malle, E. and De Beer, F. C. (1996) Human serum amyloid A (SAA) protein: a prominent acute-phase reactant for clinical practice. Eur. J. Clin. Invest. 26:427-435.
5	Murphy, P. M. (1996) The N-formylpeptide Chemotactic Receptor. In Chemoattractant Ligands and Their Receptors. CRC Press, Boca Raton, FL p. 269-299.
5	Murphy, P. M. and McDermott, D. (1991) Functional Expression of the Human Formyl Peptide Receptor in Xenopus Oocytes Requires a Complementary Human Factor. J. Biol. Chem. 266(19):12560-12567.
26	Murphy, P. M., et al. (1992) A Structural Homologue of the N-Formyl Peptide Receptor. J. Biol. Chem. 267(11):7637-7643.

<		
EXAMINER Deve	DATE CONSIDERED 12-11-CB	
ACCUMULED WITH IT OUTSTON CONCIDENCE WHEN IT AS NO		

*EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP 609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

SH	r 2	\sim	

	• • •		0.2210010
/	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY. DOCKET NO. NIH173.001C1	APPLICATION NO. 10/099,782
	INFORMATION DISCLOSURE STATEMENT		RECEIVED
3	BY APPLICANT	APPLICANT Wang, et al.	NOV 0 5 2002
N.	TADE NECESSARY)	FILING DATE March 14, 2002	GROUP TÉGH GËNTER 1600/2900

EXAMINE		OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)	
R			
-0	Nomura, H., et al. (1993) Molecular cloning of cDNAs encoding a LD78 receptor and putative leukocyte		
0	35./	chemotactic peptide receptors. Int. Immunol. 5(10):1239-1249.	
20	34.	Oppenheim, et al. (England trip 1998) Cytokines and Chemokines in Rheumatoid Arthritis. Oliver Bird Fund 50 th Anniversary Conference, Churchill College Cambridge 24-26 September 1998.	
86	35./	Owman, C., et al. (1998) The leukotriene B ₄ receptor functions as a novel type of coreceptor mediating entry of primary HIV-1 isolates into CD4-positive cells. PNAS USA 95(16):9530-9534.	
8	36.	Prossnitz, E. R. and Ye, R. D. (1997) The <i>N</i> -Formyl Peptide Receptor: A Model for the Study of Chemoattractant Receptor Structure and Function. Pharmacol. Ther. 74:73-102.	
	37. /	Romano, M., et al. (1996) Activation of Human Monocytes and the Acute Monocytic Leukemia Cell Line (THP-1) by Lipoxins Involves Unique Signaling Pathways for Lipoxin A ₄ Versus Lipoxin B ₄ . J. Immunol. 157:2149-2154.	
8	38. [/]	Samuelsson, B., et al. (1987) Leukotrienes and Lipoxins: Structures, Biosynthesis, and Biological Effects. Science 237:1171-1176.	
7	39./	Sipe, J. D. (1990) The Acute-Phase Response. <i>In</i> Immunophysiology: The Role of Cells and Cytokines in Immunity and Inflammation. J.J. Oppenheim and E.M. Schevach. Editors. Oxford University Press. New York 259-273.	
86	40.	Skinner, M. (1992) Protein AA/SAA. J. Intern. Med. 232:513-514.	
8	41.	Steel, D. M., et al. (1996) Expression and Regulation of Constitutive and Acute Phase Serum Amyloid A mRNAs in Hepatic and Non-Hepatic Cell Lines. Scand. J. Immunol. 44:493-500.	
20	42.	Steinkasserer, A., et al. (1990) Heterogeneity of human serum amyloid A protein. Biochem. J. 268:187-193.	
86	43.	Su, S. B., et al. (1999) A Seven-transmembrane, G Protein-coupled Receptor, FPRL1, Mediates the Chemotactic Activity of Serum Amyloid A for Human Phagocytic Cells. J. Exp. Med. 189:395-402.	
6	44.	Su, S. B., et al. (1999) T20-DP178, an Ectodomain Peptide of Human Immunodeficiency Virus Type 1 gp41, Is an Activator of Human Phagocyte N-Formyl Peptide Receptor. Blood 93(11):3885-3892.	
_	45.	Su, S. B., et al. (1999) T21/DP107, A Synthetic Leucine Zipper-Like Domain of the HIV-1 Envelope gp41,	
8		Attracts and Activates Human Phagocytes by Using G-Protein-Coupled Formyl Peptide Receptors. J. Immunol. 162:5924-5930.	
86	46.,	Takano, T., et al. (1997) Aspirin-triggered 15-Epi-Lipoxin A ₄ (LXA ₄) and LXA ₄ Stable Analogues Are Potent Inhibitors of Acute Inflammation: Evidence for Anti-inflammatory Receptors. J. Exp. Med. 185(9):1693-1704.	
9	47.	Takano, T., et al. (1998) Neutrophil-mediated Changes in Vascular Permeability Are Inhibited by Topical Application of Aspirin-triggered 15-epi-lipoxin A ₄ and Novel Lipoxin B ₄ Stable Analogues. J. Clin. Invest. 101(4):819-826.	
1	48.,	Wang, J. M., et al. (1993) Identification of RANTES Receptors on Human Monocytic Cells: Competition for Binding and Desensitization by Homologous Chemotactic Cytokines. J. Exp. Med. 177:699-705.	
75	49./	Wang, J. M., et al. (1999) FASEB J. Exp. Biol. Abstracts, Part II, p. A656.	
56	50.′	Xu, L., et al. (1995) A Novel Biologic Function of Serum Amyloid A. J. Immunol. 155:1184-1190.	
%	51./	Ye, R. D., et al. (1992) Isolation of a cDNA that encodes a novel granulocyte N-formyl peptide receptor. Biochem. Biophys. Res. Commun. 184(2):582-589.	
86	52.,	Yokomizo, T., et al. (1997) A G-protein-coupled receptor for luekotriene B ₄ that mediates chemotaxis. Nature 387:620-624.	

O:\DOCS\MXG\MXG-1710.DOC:vb 102802

EXAMINER Jeme	DATE CONSIDERED	12-11-03
*EXAMINER: INITIAL IF CITATION CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE AND NOT CONSIDERED, INCLUDE COPY OF THIS FORM WIT		